



INATTENTIVE BEHAVIORS	IMPULSIVE BEHAVIORS	HYPERACTIVE BEHAVIORS
<p>Difficulty staying focused</p> <p>Difficulty organizing tasks</p> <p>Difficulty listening or paying attention</p> <p>Forgetful or loses things</p> <p>Difficulty with or avoidance of tasks that require sustained focus over a period of time</p> <p>Failure to follow instructions or finish assignments</p> <p>Prone to make careless mistakes or ignore details</p>	<p>Rash decision-making</p> <p>Prone to take action without considering the long-term effects</p> <p>Low self-control</p> <p>Prone to interrupt frequently</p>	<p>Prone to squirming, tapping, or</p>

MEDICATION	TRADE NAME	STIMULANT?	EFFECTS ON SLEEP?	OTHER SIDE EFFECTS

Amoxetine HCL	Strattera	No	Yes	Disturbed sleep, drowsiness, vertigo, dry mouth, anxiety, nausea or upset stomach, liver damage, increased risk of suicide for young adults
Nortriptyline HCL	Aventyl, Pamelor	Antidepressant	Yes	Drowsiness, vertigo, dry mouth, anxiety, nausea or upset stomach, elevated heart rate, increased risk of suicide for young adults, increased risk of heart arrhythmias
Desipramine HCL	Norpramin	Antidepressant		

