

<u>Item 1: General Clarifications</u> Item 2: Questions and Answers

General Clarifications for 19RFP033 Structured Network Cabling

1. Scope of Projects Covered

1. The scope of this RFP will primarily cover cable



- 16. Item #79 > Project Mgmt Cabling Of Large School (10-15+ closets).
  Question 16.1: Typically PM rates are based on the total hours of the project (Tech hours). Can you provide us an example of hours to base the PM time on OR should the pricing be based on an hourly rate? The bidder is expected to estimate PM time requirements based on the information provided. Please provide details of the hours estimated and the cost for these services.
- 17. Item #80 > Project Mgmt Cabling Of Large School (5-10 closets).

  Question 17.1: Typically PM rates are based on the total hours of the project (Tech hours). Can you provide us

| 0 | Line Iten | P a  | a<br>s, splice trays, | a<br>modular cassettes, | etc.?                  | а               | а           | LIU     |
|---|-----------|--|-----------------------|-------------------------|------------------------|-----------------|-------------|---------|
| 0 | Line Iten | ns 41 & 42:<br>Please confirm if t   | this is intended      | d to be SM/MM as s      | shown or SM/S          | M or MM/M       | Μ           |         |
| 0 |           | Line Items #44 & 45:  Are these meant to be modular panels or loaded panels? |                       |                         |                        |                 |             |         |
| 0 | Line Iten |  | e assumed to          | be installed? (e.g., v  | wall mounted, a        | all thread, etc | C.)         |         |
| 0 |           | ns #61-64:<br>Are these meant t  | to be modular         | panels or loaded pa     | anels?                 |                 |             |         |
| 0 |           | ns #66-72:<br>Is this meant to be<br>a a                                     | e an hourly rat<br>a  | te? If not and this is  | intended to be<br>TV D | •               | please<br>I | provide |
| 0 | Line Iten | ns #73 & 74:<br>H a  | а                     | per closet should v     | ve assume?             |                 |             |         |
|   |           | Can we assume th   | nis will be one       | visit or multiple trip  | os? If multiple tr     | ips, how ma     | ny trip     | s?      |
|   |           | W a  | a a                   |                         | a a                    |                 |             |         |
| 0 | Line Iten | ns #76-78:<br>Please indicate wl   | nat kind of fibe      | er (SM, MM, ISP, OS     | SP, Armored, Str       | and Counts,     | etc.)       |         |
|   |           | What distance sho  | ould we assum         | ne?                     |                        |                 |             |         |
|   |           | For pathways, ass  | ume aerial or         | via conduits?           |                        |                 |             |         |
| 0 |           | ns #79-81:<br>Hourly rate or sing<br>required                                | gle unit labor (      | cost? If unit cost, ple | ease indicate ex       | actly what s    | ervices     | s are   |